

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5450645	determin\$4 judg\$3 specify\$3 decid\$3 allocat\$3 guess\$3 guestimat\$4 estimat\$4 approxima\$4 calculat\$4 assess\$4 anticipat\$4 predict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/23 11:00
L2	12187015	availability availabl\$4 time period interval slot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/23 11:00
L3	1013088	L1 near\$ L2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/23 11:00
L4	246927	(hold\$3 reserv\$3 preserv\$3 schedul\$4) near\$3 (resource switch path link circuit port channel bandwidth frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/23 11:00
L5	3486	L3 with L4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/23 11:00
L7	68	(@ad<"20000815" or @rlad<"20000815") and L5 and (709/203 709/205 709/208 709/217 709/218 709/220 709/224 709/225 709/228 709/237)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/23 11:03
L8	6	@ad<"20000815" and (hold\$3 adj time\$2) and (channel near\$7 avail\$7) and (709/203 709/205 709/208 709/217 709/218 709/220 709/224 709/225 709/228 709/237)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/23 11:04
L9	2938	(time adj2 shar\$3) with (transmi\$5 transpor\$4) same (size time)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
L10	23	(@ad<"20000815" or @rlad<"20000815") and L9 and (709/203 709/205 709/208 709/217 709/218 709/220 709/224 709/225 709/228 709/237)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:05
L11	6440886	tim\$3 or instance\$2 or duration or period\$2 or frame	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 11:04
L12	7250502	determin\$4 or establish or calculat\$4 or specif\$4 or fix\$2 or amount\$2 or decid\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 11:04
L13	4101807	transmit\$4 or send\$3 or transfer\$3 or broadcast\$3 or multicast\$3 or deliver\$3 or sent	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 11:04
L14	4775489	file or data or information or packet or frame	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04

L15	29248	(L12 adj5 L11) near10 (L13 near5 L14)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
L16	6704817	channel or session or link or bandwidth or thread or path or route or band or signal or medium	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
L17	6615510	availab\$5 or accessib\$4 or servic\$4 or attainable	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
L18	303797	L16 near5 L17	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
L19	239528	success or ack or acknowledg\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
L20	20051	L19 near5 L11	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
L21	111	L15 same L18 and L20	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
L22	5	L21 and (@ad<"20000815" or @rlad<"20000815") and (709/203 709/205 709/208 709/217 709/218 709/220 709/224 709/225 709/228 709/237)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
S1	1	"F method" and "timeslot method"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:34
S2	2950	"F method"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 09:24
S3	0	"F method" and (ktwait or "kt-wait" or "kt wait")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 09:24
S4	14	"F method" and KT	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 09:26
S5	2950	F adj method	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 09:26
S6	235	@ad<"20000815" and (hold\$3 adj time\$2) and (channel near7 avail\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:34

S7	55	@ad<"20000815" and (hold\$3 adj time\$2) and ((channel near7 avail\$7) same time) and capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:33
S8	53	@ad<"20000815" and (hold\$3 adj time\$2) and ((channel near7 avail\$7) same time) and capaci\$4 and (switch or gateway or rout\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:34
S9	0	@ad<"20000815" and (hold\$3 adj time\$2) and ((channel near7 avail\$7) same time) and capaci\$4 and (switch or gateway or rout\$2) and (timeslot\$2 or (time adj slot\$2)) and (kt or "F method")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 09:34
S10	35	@ad<"20000815" and (hold\$3 adj time\$2) and ((channel near7 avail\$7) same time) and capaci\$4 and (switch or gateway or rout\$2) and (timeslot\$2 or (time adj slot\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:33
S11	2	@ad<"20000815" and (know\$7 same (hold\$3 adj time\$2)) and ((channel near7 avail\$7) same time) and capaci\$4 and (switch or gateway or rout\$2) and (timeslot\$2 or (time adj slot\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:33
S12	1	@ad<"20000815" and (transmi\$5 near5 (hold\$3 adj time\$2)) and ((channel near7 avail\$7) same time) and capaci\$4 and (switch or gateway or rout\$2) and (timeslot\$2 or (time adj slot\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:33
S13	1	@ad<"20000815" and (transmi\$5 near5 (hold\$3 adj time\$2)) and ((channel near7 avail\$7) same time) and capaci\$4 and (switch or gateway or rout\$2) and (timeslot\$2 or (time adj slot\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:33
S14	2	@ad<"20000815" and (know\$7 same (hold\$3 adj time\$2)) and ((channel near7 avail\$7) same time) and capaci\$4 and (switch or gateway or rout\$2) and (timeslot\$2 or (time adj slot\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:33
S15	35	@ad<"20000815" and (hold\$3 adj time\$2) and ((channel near7 avail\$7) same time) and capaci\$4 and (switch or gateway or rout\$2) and (timeslot\$2 or (time adj slot\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:33
S16	55	@ad<"20000815" and (hold\$3 adj time\$2) and ((channel near7 avail\$7) same time) and capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:33
S17	53	@ad<"20000815" and (hold\$3 adj time\$2) and ((channel near7 avail\$7) same time) and capaci\$4 and (switch or gateway or rout\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:34
S18	1	"F method" and "timeslot method"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/27 13:34
S19	237	@ad<"20000815" and (hold\$3 adj time\$2) and (channel near7 avail\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/23 11:04
S20	6426505	tim\$3 or instance\$2 or duration or period\$2 or frame	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:04
S21	7232079	determin\$4 or establish or calculat\$4 or specif\$4 or fix\$2 or amount\$2 or decid\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:06

S22	4090578	transmit\$4 or send\$3 or transfer\$3 or broadcast\$3 or multicast\$3 or deliver\$3 or sent	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:08
S23	4760248	file or data or information or packet or frame	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:10
S24	29157	(S21 adj5 S20) near10 (S22 near5 S23)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:14
S25	6687766	channel or session or link or bandwidth or thread or path or route or band or signal or medium	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:17
S26	6608884	availab\$5 or accessib\$4 or servic\$4 or attainable	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:19
S27	302969	S25 near5 S26	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:20
S28	238919	success or ack or acknowledg\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:21
S29	19992	S28 near5 S20	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:22
S30	1594	S24 and S27 and S29	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:22
S31	932	S30 and (@ad<"20000815" or @rlad<"20000815")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:23
S32	111	S24 same S27 and S29	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 12:43
S33	57	S32 and (@ad<"20000815" or @rlad<"20000815")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
S34	2	"6691232".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 15:58

S35	23610	(time adj2 shar\$3) same (size time)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:00
S36	2937	(time adj2 shar\$3) with (transmi\$5 transpor\$4) same (size time)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/17 16:00
S37	2239	(@ad<"20000815" or @rlad<"20000815") and S36	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:04
S38	316	(@ad<"20000815" or @rlad<"20000815") and S36 and (reserv\$3 hold\$3 preserv\$3) near3 (resourc\$3 switch path\$2 link\$2 circuit\$2 port\$2 channel\$2 bandwidth\$2 frequenc\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 08:40
S39	5439078	determin\$4 judg\$3 specify\$3 decid\$3 allocat\$3 guess\$3 guestimat\$4 estimat\$4 approxima\$4 calculat\$4 assess\$4 anticipat\$4 predict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/18 08:52
S40	12172445	availability availabl\$4 time period interval slot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 08:53
S41	1011639	S39 near5 S40	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 08:53
S42	246622	(hold\$3 reserv\$3 preserv\$3 schedul\$4) near3 (resource switch path link circuit port channel bandwidth frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 08:55
S43	60362	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 08:55
S44	3481	S41 with S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 08:55
S45	2636	S41 near10 S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 08:55
S46	2319	(@ad<"20000815" or @rlad<"20000815") and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/23 10:59
S47	63362	S41 same size	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 08:57
S48	4466	S41 same (size near3 (file or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 08:58
S49	1758	S41 near10 (size near3 (file or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 08:58

S50	11	S49 same S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 09:02
S51	37	S46 and (file near10 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/18 09:03
S52	2	"20030041101"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:18
S53	2	"20030154279"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 09:18

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	58	(GROBLER near2 REINETTE) or (ROUSE near2 DAVID) or (VEERARAGHAVAN near2 MALATHI)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/29 10:18
L2	58	(@ad<"20000815" or @riad<"20000815") and (GROBLER near2 REINETTE) or (ROUSE near2 DAVID) or (VEERARAGHAVAN near2 MALATHI)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/29 10:18